Forest Ecology and Management, 53 (1992) 345–346

Elsevier Science Publishers B.V., Amsterdam

Author Index

Arnebrant, K. and Söderström, B. (Lund, Sweden)
Effects of different fertilizer treatments on ectomycorrhizal colonization potential in two Scots pine forests in Sweden 77
Banyard, S.G. (Enschede, Netherlands)
Cluster point sampling in moist tropical forests using large basal area factors 307
Bashford, R., *see* Elliott, H.J. et al.
Bechtold, W.A., *see* Cormier, K.L. et al.
Candy, S.G., *see* Elliott, H.J. et al.
Caron, G.E. and Leblanc, R. (Edmundston, N.B., Canada)
Pollen contamination in a small black spruce seedling seed orchard for 3 consecutive years 245
Chamshama, S.A.O., *see* Malimbwi, R.E. et al.
Chaturvedi, O.P. and Jha, A.N. (Pusa (Samastipur), India)
Studies on allelopathic potential of an important agroforestry species 91
Cormier, K.L., Reich, R.M., Czaplewski, R.L. (Fort Collins, CO, USA) and Bechtold, W.A. (Asheville, NC, USA)
Evaluation of weighted regression and sample size in developing a taper model for loblolly pine 65
Crunkilton, D.D., Pallardy, S.G. and Garrett, H.E. (Columbia, MO, USA)
Water relations and gas exchange of northern red oak seedlings planted in a central Missouri clearcut and shelterwood 117
Czaplewski, R.L., *see* Cormier, K.L. et al.
Elliott, H.J., Bashford, R., Greener, A. and Candy, S.G. (Hobart, Tas., Australia)
Integrated pest management of the Tasmanian *Eucalyptus* leaf beetle, *Chrysophtharta bimaculata* (Olivier) (Coleoptera: Chrysomelidae) 29
Faber-Langendoen, D. (St. Louis, MO, USA)
Ecological constraints on rain forest management at Bajo Calima, western Colombia 213
Garrett, H.E., *see* Crunkilton, D.D. et al.
Gower, S.T., *see* Son, Y. and Gower, S.T.
Greatorex-Davies, J.N., Hall, M.L. and Marrs, R.H. (Huntingdon, UK)
The conservation of the pearl-bordered fritillary butterfly (*Boloria euphrosyne* L.): preliminary studies on the creation and management of glades in conifer plantations 1
Greener, A., *see* Elliott, H.J. et al.
Hall, M.L., *see* Greatorex-Davies, J.N. et al.
Heiskanen, J. (Suonenjoki, Finland) and Raitio, H. (Parkano, Finland)
Influence of polypropylene gauze covering on soil temperature in nurseries 319
Iddi, S., *see* Malimbwi, R.E. et al.
Jha, A.N., *see* Chaturvedi, O.P. and Jha, A.N.
Johansson, T. (Garpenberg, Sweden)
Sprouting of 2- to 5-year-old birches (*Betula pubescens* Ehrh. and *Betula pendula* Roth) in relation to stump height and felling time 263
Johansson, T. (Garpenberg, Sweden)
Sprouting of 10- to 50-year-old *Betula pubescens* in relation to felling time 283

Kutiel, P. (Ramat Gan, Israel) and Shaviv, A. (Haifa, Israel)
Effects of soil type, plant composition and leaching on soil nutrients following a simulated forest fire 329
Leblanc, R., *see* Caron, G.E. and Leblanc, R.
LeMay, V.M., *see* Newton, P.F. and LeMay, V.M.
Long, J.N. (Logan, UT, USA) and Smith, F.W. (Fort Collins, CO, USA)
Volume increment in *Pinus contorta* var. *latifolia*: the influence of stand development and crown dynamics 53
Loshali, D.C. (Ludhiana, India) and Singh, R.P. (Nainital, India)
Partitioning of rainfall by three Central Himalayan forests 99
Malimbwi, R.E., Persson, A., Iddi, S., Chamshama, S.A.O. (Morogoro, Tanzania) and Mwihomeke, S.T. (Lushoto, Tanzania)
Effects of spacing on yield and some wood properties of *Pinus patula* at Rongai, northern Tanzania 297
Marrs, R.H., *see* Greatorex-Davies, J.N. et al.
Mead, D.J., *see* Thomas, R.C. and Mead, D.J.
Mosseler, A., Roberts, B.A. and Tricco, P. (St. John's, Nfld., Canada)
The effects of fir coneworm, *Dioryctria abietivorella* (Grote) (Lepidoptera: Pyralidae), on seed production in small, isolated populations of red pine, *Pinus resinosa* Ait 15
Mwihomeke, S.T., *see* Malimbwi, R.E. et al.
Newton, P.F. (St. John's, Nfld., Canada) and LeMay, V.M. (Vancouver, B.C., Canada)
Evaluation of a sequential counting plan for point-density estimation within black spruce/balsam fir seedling populations 195
Pallardy, S.G., *see* Crunkilton, D.D. et al.
Persson, A., *see* Malimbwi, R.E. et al.
Philipson, J.J. (Roslin, UK)
Optimal conditions for inducing coning of container-grown *Picea sitchensis* grafts: effects of applying different quantities of GA4/7, timing and duration of heat and drought treatment, and girdling 39
Raitio, H., *see* Heiskanen, J. and Raitio, H.
Reich, R.M., *see* Cormier, K.L. et al.
Roberts, B.A., *see* Mosseler, A. et al.
Shaviv, A., *see* Kutiel, P. and Shaviv, A.
Singh, R.P., *see* Loshali, D.C. and Singh, R.P.
Smith, F.W., *see* Long, J.N. and Smith, F.W.
Son, Y. and Gower, S.T. (Madison, WI, USA)
Nitrogen and phosphorus distribution for five plantation species in southwestern Wisconsin 175
Söderström, B., *see* Arnebrant, K. and Söderström, B.
Thomas, R.C. and Mead, D.J. (Christchurch, New Zealand)
Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N-labelled urea at different frequencies. 1. Growth response and nitrogen budgets 131
Thomas, R.C. and Mead, D.J. (Christchurch, New Zealand)
Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N-labelled urea at different frequencies. 2. Seasonal trends and processes 153
Tricco, P., *see* Mosseler, A. et al.
Wiant, Jr., H.V., *see* Wood, G.B. and Wiant, Jr., H.V.
Wood, G.B. and Wiant, Jr., H.V. (Canberra, A.C.T., Australia)
Test of application of centroid and importance sampling in a point-3P forest inventory 107

Forest Ecology and Management, 53 (1992) 347–350
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Agroforestry
Studies on allelopathic potential of an important agroforestry species 91
Allelopathic potential
Studies on allelopathic potential of an important agroforestry species 91
Betula
Sprouting of 10- to 50-year-old *Betula pubescens* in relation to felling time 283
Sprouting of 2- to 5-year-old birches (*Betula pubescens* Ehrh. and *Betula pendula* Roth) in relation to stump height and felling time 263
Box-junctions
The conservation of the pearl-bordered fritillary butterfly (*Boloria euphrosyne* L.): preliminary studies on the creation and management of glades in conifer plantations 1
Butterflies
The conservation of the pearl-bordered fritillary butterfly (*Boloria euphrosyne* L.): preliminary studies on the creation and management of glades in conifer plantations 1
Centroid sampling
Test of application of centroid and importance sampling in a point-3P forest inventory 107
Cluster point sampling
Cluster point sampling in moist tropical forests using large basal area factors 307
Coneworm
The effects of fir coneworm, *Dioryctria abietivorella* (Grote) (Lepidoptera: Pyralidae), on seed production in small, isolated populations of red pine, *Pinus resinosa* Ait. 15
Coning
Optimal conditions for inducing coning of container-grown *Picea sitchensis* grafts: effects of applying different quantities of GA4/7, timing and duration of heat and drought treatment, and girdling 39
Conservation
The conservation of the pearl-bordered fritillary butterfly (*Boloria euphrosyne* L.): preliminary studies on the creation and management of glades in conifer plantations 1
Ecological constraints
Ecological constraints on rain forest management at Bajo Calima, western Colombia 213
Ectomycorrhizal colonization
Effects of different fertilizer treatments on ectomycorrhizal colonization potential in two Scots pine forests in Sweden 77
Eucalyptus
Integrated pest management of the Tasmanian *Eucalyptus* leaf beetle, *Chrysophtharta bimaculata* (Olivier) (Coleoptera: Chrysomelidae) 29
Felling
Sprouting of 2- to 5-year-old birches (*Betula pubescens* Ehrh. and *Betula pendula* Roth) in relation to stump height and felling time 263
Sprouting of 10- to 50-year-old *Betula pubescens* in relation to felling time 283

Fertilizers
Effects of different fertilizer treatments on ectomycorrhizal colonization potential in two Scots pine forests in Sweden 77
Fire
Effects of soil type, plant composition and leaching on soil nutrients following a simulated forest fire 329
Gas exchange
Water relations and gas exchange of northern red oak seedlings planted in a central Missouri clearcut and shelterwood 117
Grafts
Optimal conditions for inducing coning of container-grown *Picea sitchensis* grafts: effects of applying different quantities of GA4/7, timing and duration of heat and drought treatment, and girdling 39
Growth
Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N-labelled urea at different frequencies. 1. Growth response and nitrogen budgets 131
Importance sampling
Test of application of centroid and importance sampling in a point-3P forest inventory 107
Leaf beetle
Integrated pest management of the Tasmanian *Eucalyptus* leaf beetle, *Chrysophtharta bimaculata* (Olivier) (Coleoptera: Chrysomelidae) 29
Nitrogen
Nitrogen and phosphorus distribution for five plantation species in southwestern Wisconsin 175
Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N-labelled urea at different frequencies. 1. Growth response and nitrogen budgets 131
Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N-labelled urea at different frequencies. 2. Seasonal trends and processes 153
Nurseries
Influence of polypropylene gauze covering on soil temperature in nurseries 319
Nutrients
Effects of soil type, plant composition and leaching on soil nutrients following a simulated forest fire 329
Orchard
Pollen contamination in a small black spruce seedling seed orchard for 3 consecutive years 245
Partitioning of rainfall
Partitioning of rainfall by three Central Himalayan forests 99
Pest management
Integrated pest management of the Tasmanian *Eucalyptus* leaf beetle, *Chrysophtharta bimaculata* (Olivier) (Coleoptera: Chrysomelidae) 29
Phosphorus
Nitrogen and phosphorus distribution for five plantation species in southwestern Wisconsin 175
Picea
Optimal conditions for inducing coning of container-grown *Picea sitchensis* grafts: effects of applying different quantities of GA4/7, timing and duration of heat and drought treatment, and girdling 39
Pollen contamination in a small black spruce seedling seed orchard for 3 consecutive years 245

Pinus
Effects of different fertilizer treatments on ectomycorrhizal colonization potential in two Scots pine forests in Sweden 77
Effects of spacing on yield and some wood properties of *Pinus patula* at Rongai, northern Tanzania 297
Evaluation of weighted regression and sample size in developing a taper model for loblolly pine 65
The effects of fir coneworm, *Dioryctria abietivorella* (Grote) (Lepidoptera: Pyralidae), on seed production in small, isolated populations of red pine, *Pinus resinosa* Ait. 15
Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N-labelled urea at different frequencies. 1. Growth response and nitrogen budgets 131
Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N-labelled urea at different frequencies. 2. Seasonal trends and processes 153
Volume increment in *Pinus contorta* var. *latifolia*: the influence of stand development and crown dynamics 53
Point-density estimation
Evaluation of a sequential counting plan for point-density estimation within black spruce/balsam fir seedling populations 195
Pollen contamination
Pollen contamination in a small black spruce seedling seed orchard for 3 consecutive years 245
Polypropylene gauze
Influence of polypropylene gauze covering on soil temperature in nurseries 319
Quercus
Water relations and gas exchange of northern red oak seedlings planted in a central Missouri clearcut and shelterwood 117
Rain forest management
Ecological constraints on rain forest management at Bajo Calima, western Colombia 213
Rainfall
Partitioning of rainfall by three Central Himalayan forests 99
Seasonal trends
Uptake of nitrogen by *Pinus radiata* and retention within the soil after applying ^{15}N-labelled urea at different frequencies. 2. Seasonal trends and processes 153
Seed production
The effects of fir coneworm, *Dioryctria abietivorella* (Grote) (Lepidoptera: Pyralidae), on seed production in small, isolated populations of red pine, *Pinus resinosa* Ait. 15
Seedlings
Evaluation of a sequential counting plan for point-density estimation within black spruce/balsam fir seedling populations 195
Water relations and gas exchange of northern red oak seedlings planted in a central Missouri clearcut and shelterwood 117
Sequential counting
Evaluation of a sequential counting plan for point-density estimation within black spruce/balsam fir seedling populations 195
Soil
Effects of soil type, plant composition and leaching on soil nutrients following a simulated forest fire 329
Influence of polypropylene gauze covering on soil temperature in nurseries 319

Spacing
Effects of spacing on yield and some wood properties of *Pinus patula* at Rongai, northern Tanzania 297
Sprouting
Sprouting of 10- to 50-year-old *Betula pubescens* in relation to felling time 283
Sprouting of 2- to 5-year-old birches (*Betula pubescens* Ehrh. and *Betula pendula* Roth) in relation to stump height and felling time 263
Stand development
Volume increment in *Pinus contorta* var. *latifolia*: the influence of stand development and crown dynamics 53
Stump height
Sprouting of 2- to 5-year-old birches (*Betula pubescens* Ehrh. and *Betula pendula* Roth) in relation to stump height and felling time 263
Taper model
Evaluation of weighted regression and sample size in developing a taper model for loblolly pine 65
Tropical forests
Cluster point sampling in moist tropical forests using large basal area factors 307
Volume increment
Volume increment in *Pinus contorta* var. *latifolia*: the influence of stand development and crown dynamics 53
Water relations
Water relations and gas exchange of northern red oak seedlings planted in a central Missouri clearcut and shelterwood 117
Weighted regression
Evaluation of weighted regression and sample size in developing a taper model for loblolly pine 65
Evaluation of weighted regression and sample size in developing a taper model for loblolly pine 65